Flexit Central Vacuum Cleaner



Easy to install in new and existing homes



Produces cleaner air and cleaner floors



Expels harmful fine dust from the house





An important value choice

Researchers claim that the air we breathe, not the food we eat, is the main source of pollution for the body. Knowing that we spend up to 90% of the time indoors, while 50% of our homes have an unacceptable indoor environment *1, it is important to give a high priority to improvements and technology that will help create a safe, comfortable and valuable living environment. When you use a conventional vacuum cleaner, harmful fine dust escapes through the bag. Installing a central vacuum cleaner eliminates this problem. It vacuums up all the dust and expels the harmful fine dust from the house. Installing a central vacuum cleaner is more than a financial investment. It's an important value choice.

*1 Norwegian Asthma and Allergy Association

Choosing a central vacuum cleaner supplier

It is Flexit's mission to develop, manufacture and market products, services and solutions that provide clean, fresh air for homes and commercial buildings. Our vision is to enable everyone to live healthily indoors. We offer simple, profitable solutions that can protect you against:

- Allergenic dust and pollen contamination
- Costly damp, mould and mildew contamination
- Stressful noise and environmental gases
- Carcinogenic radon contamination
- Unnecessary draughts and energy loss

• Harmful floating dust and contaminated air If you choose Flexit as your supplier, you will have chosen the market specialist in "clean, fresh air". This can be felt in everything from product development to customer follow-up. The Flexit logo stands for high product value and a lot of comfort for your money.

No. 1 for central vacuum cleaners

In the fight to prevent the development of allergies and asthma in the population better removal of indoor dust and pollen contamination is a top priority. Our central vacuum cleaners are therefore an important and high-priority part of our business. If you choose a central vacuum cleaner from Flexit, you can rest assured that you are getting a leading product as far as power, functionality and quality are concerned.

Simple to use

A central vacuum cleaner makes the home much easier to clean. You no long have to drag the vacuum cleaner round. All you need for cleaning is the vacuum cleaner hose, which will not damage the floor, walls, stairs, doors or other fixtures and fittings. The vacuum cleaner does not make a noise and can normally be emptied twice a year.

Clean, fresh air insurance

If you want to go one step further towards "clean, fresh air insurance", you can add Flexit ventilation, which will prevent house dust mites and other pathogenic air pollution from flourishing. The other benefits of installing our ventilation solutions include improved living comfort and lower running/ maintenance costs.

Simple to install

A central vacuum cleaner is simple to install in existing and new homes. You choose the installation kit that best suits the size of your home. Many people opt to install the system themselves. The product comes with installation instructions, which will help you do the work yourself. See pages 10 and 11 for installation tips. Or you can contact a specialist, who will be able to do the job in a matter of hours. If you are building a new house, make sure that your central vacuum cleaner comes ready fitted. Many house builders fit a central vacuum cleaner as standard.





Five good reasons for installing a Flexit central vacuum cleaner

- It expels harmful fine dust from the house
- Reasonable one-off investment
- Easy to install in new and existing homes
- It makes cleaning easier
- Virtually silent

4



Connection

Plug the hose into the socket and you are ready to vacuum. You decide where the socket should go.



Long reach and simple to use

The reach from the socket is 10 metres. This means that most people manage with three sockets in total, or one socket per floor. The tools are very light, and stairs can be vacuumed without having to drag a vacuum cleaner round.



Good design and an ON/OFF switch on the handle

An ergonomic, light handle with an ON/OFF switch. The handle is very light and comfortable to hold. The vacuum cleaner can be turned ON/OFF easily with one hand.



Holder for Brush and Hose Set Practical holder for brush and hose set for central vacuum cleaner. (Optional extra)

OPTIONAL EXTRAS

5



Easy-to-empty dust container

Using a bag makes emptying extra hygienic. The container normally has to be emptied once or twice a year.



Vacuuming the car A central vacuum cleaner makes cleaning the car child's play. The garage can have its own socket, not to mention a separate hose and tools for the car.



Automatic full warning

Service indicator with a lamp that lights up when the container is full and needs emptying. Separate socket positioned where it is readily visible. Flexit CV 300 only. (Optional extra)



Floor outlet

The outlet can be fitted in a kitchen bench to collect crumbs or in the hallway to collect gravel, etc. The outlet is switch operated. (Optional extra)

What should you attach importance to when buying a central vacuum cleaner?

When you invest in a central vacuum cleaner, it is important to choose the model that best suits your needs. There are three different Flexit models to choose from. Read on for advice and tips that will make it easier for you to choose the right model.

Suction is important – not motor size

The wattage of a vacuum cleaner motor used to be an indication of its effectiveness. This rating does not say anything about how good the cleaning results will be. That is determined by the suction of the vacuum cleaner, which is also specified in watts and must not be confused with the wattage of the vacuum cleaner motor. Make sure that you get a central vacuum cleaner with the optimum suction for your needs. That will ensure the best cleaning results.

The vacuum cleaner's suction is made up as follows:

There is a great difference between the suction at the central vacuum cleaner's motor (A) and it's nozzle (B). The suction at the nozzle is normally about 40% lower than at the motor. This is due to two factors. Firstly the central vacuum cleaner's pipe system (C) reduces suction by about 5%. Secondly the vacuum cleaner hose (D) reduces suction by about 35%.

Set noise requirements – choose a central vacuum cleaner


A central vacuum cleaner expels harmful fine dust from the house. From the exhaust on the outside wall you will be able to hear a little noise. Inside you will just hear the sound of the nozzle while you are vacuuming. There will be some noise in the room where the vacuum unit is located. The new technology used in all Flexit's models ensure minimal noise, however.

Choose a large, well-known, quality supplier

Buy a central vacuum cleaner from a large Norwegian supplier and you will be guaranteed good service and proper follow-up in future too. Flexit is Norway's largest supplier of central vacuum cleaners and has many years of experience in both development and production.

Represented throughout Norway

You can buy Flexit central vacuum cleaners nationwide. No one is as well represented in Norway as Flexit. Our dealers have everything you need for your central vacuum cleaner in terms of both tools and dust bags. They can also give you good advice, tips and guidance. If you have any questions, you can visit www.flexit.no or phone our service department.



Norway's largest supplier of central vacuum cleaners sets standards for cleaning

Norway's bestselling central vacuum cleaner is increasing its lead. Flexit's goal of developing a state-of-the-art vacuum cleaner with the best cleaning results has been achieved. The range of vacuum cleaners consists of three different models to suit every type of home. Each model has been developed with the aim of achieving maximum cleaning results in the simplest and most comfortable way possible.

Simpler installation

A unique wall bracket makes the vacuum unit easy to install in both new and existing homes. A patent is pending on the solution.

Lower noise level

All the models have maximum soundproofing. The extra low noise level means that the vacuum cleaner can be fitted without having to worry about the noise in other rooms. The low noise level offers great flexibility when it comes to positioning the exhaust pipe.

Improved suction

New improved technology ensures optimum suction. Improved suction combined with less noise means that the models can be used in any type of home. High suction is achieved even with a long hose.

Simpler emptying

A large, ergonomic handle makes the container on the CV 200 and CV 300 easy to empty. The filter solution ensures cleaner, simpler emptying.

Design

The models have been developed in a contemporary design to suit both new and existing homes. All the models are designed to take up as little space as possible and have smaller physical dimensions than before while retaining excellent bag and container capacity.

Display on the top model

The largest model, the CV 300, has intelligent electronics that provide information on the status of the motor, filter and bag. This ensures optimum container emptying and servicing.



Simpler installation



Lower noise level



Better suction



Simpler emptying

Flexit central vacuum cleaners

Flexit CV 100 – convenient and powerful

A compact, powerful central vacuum cleaner that doesn't take up much space. The vacuum cleaner is a bag model with an enclosed Throughflow motor that does not expel dust into the room in which it is located. A handy, space-saving model designed for flats, singlefamily houses, buildings divided into 2-4 flats and terraced houses. It can be supplied with a separate installation kit for cupboards, making it easy to install in a kitchen cupboard or wardrobe. The wall bracket makes the vacuum unit simple to install.

Suction 435 watts *

* Not to be confused with motor wattage



Technical data

	Flexit CV 100	Flexit CV 200	Flexit CV 300
Height	427 mm	800 mm	800 mm
Width with handle	360 mm	440 mm	440 mm
Depth with bracket	400 mm	400 mm	400 mm
Motor	1500 W	1700 W	1700 W
Fuse size	10 A	10 A	10A
Weight	5,5 kg	6,5 kg	6,7 kg
Noise from unit	69 dB	70,5 dB	70,5 dB
Capacity, dust container	-	25 liter	25 liter
Capacity using bag	10 litres	14 litres	14 litres
Max. suction	435 W*	480 W *	480 W *
Max. air flow	52 l/s	55 l/s	55 l/s
Max. vacuum	24 kPa	25 kPa	25 kPa

* Measured at the suction unit

Flexit CV 200 – bestseller with low noise level

A very popular model with good performance in all areas. The vacuum cleaner has an enclosed Throughflow motor that does not expel dust into the room in which it is located. The model is very quiet

and will suit any home. High quality and optimum suction make the CV 200 a very good buy. It is ideal for single-family houses, buildings divided into 2-4 flats and terraced houses. A large, ergonomic handle combined with the fact that the filter is on the container ensures clean, simple emptying. The wall bracket makes the vacuum unit simple to install.



Suction 480 watts *

* Not to be confused with motor wattage

Flexit CV 300 – top model with extra features

The top model has extras that make cleaning as simple as possible. It is ideal for single-family houses, buildings divided into 2-4 flats and terraced houses – and for anyone who likes their comfort. The model has intelligent electronics that provide information on the status of the motor, filter and bag on a display. This ensures optimum container emptying and

servicing. The model is very quiet and will suit any home. A large, ergonomic handle combined with the fact that the filter is on the container ensures clean, simple emptying. The wall bracket makes the vacuum unit simple to install.

Suction 480 watts *

* Not to be confused with motor wattage



Tools

De luxe or standard package — the choice is yours!

The tools for the de luxe version have been produced in an exclusive, contemporary material. They come in a design with an ON/OFF button on the handle. They have been designed specifically to ensure good ergonomics. They are not only very easy to use, but also stylish to look at. The hose is extra light and has very low air resistance. Enjoy the feeling of being at the leading edge of development.



Includes a 9-metre hose with ON/OFF switch. Also available with a 10.5- or 12-metre hose.



Includes a 9-metre hose. Also available with a 10.5metre hose.

The standard package is more economical, but includes all the essentials. It does not have an ON/OFF button on the handle. The tools are made of a hardwearing material.



The nozzle is equally suitable for hard floors and carpets. It is light and very user friendly, as well as having a particularly good dust collection capacity.



This floor nozzle is particularly suitable for hard floors. It is light and very user friendly.



The dusting brush has been produced in a very light material. It is so efficient that you can throw your duster away.



The radiator and crevice tool is ideal for those inaccessible places. The tool has secondary air vents for optimum effect.



The picture shows the hose with the ergonomic handle and ON/OFF function. The hose is light and has better air flow. This further improves vacuuming results.



This is our new curtain and upholstery tool. It is made of a light material. Perfect for upholstery, lamps, curtains, wall coverings, etc.



Unique handle. It has been produced in a contemporary material with special emphasis on good ergonomics and design. It gives you the feeling of being at the leading edge of development.



Telescopic tube for the central vacuum cleaner. It is made of aluminium, and is extremely light and user friendly. The telescopic tube comes in an attractive black design.

Important advice and tips before starting installation

1. Check that you have chosen the right model

Flexit central vacuum cleaners come in three different models. Choose a model with the right suction for your needs. If you require advice and guidance, our dealers will help you.

2. Choose the right location for the vacuum unit

We recommend installation in a utility room, basement, garage or a room that isn't used much.

- The Flexit CV 100 can be installed in a kitchen cupboard, wardrobe, etc. This requires a separate installation kit for cupboards. It can also be installed in a utility room, basement, etc.
- The Flexit CV 200 and Flexit CV 300 are normally installed in a utility room, basement, etc.
- The Flexit CV 200 and Flexit CV 300 are recommended if a long hose is to be used or the vacuum unit is to be installed upstairs.

General considerations:

- position the vacuum unit near an outside wall
- the exhaust pipe should be as short as possible

 do not position the exhaust valve by an entrance door, window, etc.

3. Positioning the sockets


Remember to position the sockets in such a way that the hose will cover as large an area as possible. Each socket should normally cover a radius of 10 metres (including telescopic tube and nozzle). This usually covers the whole floor. We recommend using a piece of string measuring 10 metres in length to establish how far the hose will reach from where you want to locate the socket. If you want a shorter hose, you can install more sockets. Remember to allow for furniture, cupboards, beds, etc. It is important to plan the work. NB: Remember to check whether there is any wiring, etc., where you plan to run the pipes.

Terminology

Socket = the connection point for the vacuum cleaner hose Suction = the ratio between vacuum and air flow. This ratio determines how good the cleaning results will be.

Fig. 1 Positioning the vacuum unit

Fig. 2 Positioning the sockets




Basements, utility rooms, garages and rooms that aren't used very much, for example, are suitable places to install the vacuum unit.



Remember to position the sockets in such a way they cover as large an area as possible. Each socket should normally cover a radius of 10 metres (including telescopic tube and nozzle). This usually covers the whole floor.







Cupboards or wardrobes are generally ideal for vertical piping. The socket can be connected in an adjoining room.



A cold loft or lumber room can be used for the horizontal pipe to where the socket is to be installed. The sockets can be installed in the wall or floor, whichever is more convenient. NB: The vacuum unit should be located on the same floor as the lowest socket.

Simplified illustration of how the individual parts should be installed:



The picture shows a simplified installation for a Flexit CV 200 central vacuum cleaner with two sockets and an exhaust pipe.

Any additional pipe parts can be obtained from your dealer.

For further information visit www.flexit.no.

Brush/hose sets include:

Radiator and floor tool, dusting brush, curtain and upholstery tool, complete hose, nickel-plated telescopic tube and hose holder.

Art. No. 03300: with 9 m hose Art. No. 03302: with 9 m hose, ON/OFF switch Art. No. 03301: with 10.5 m hose Art. No. 03303: with 10.5 m hose, ON/OFF switch Art. No. 03304: with 12 m hose, ON/OFF switch

The following alternative pipe kits are available:

Pipe kit with three sockets and 17.25 m of pipe Pipe kit with two sockets and 10.35 m of pipe Pipe kit with one socket and 6.9 m of pipe (extension kit)

...and include:

Sockets	3	2	1
Pipes, 1.15 m long	15 pcs	9 pcs	5 pcs
Elbows 90°	11 pcs	5 pcs	4 pcs
Elbows 45°	6 pcs	2 pcs	2 pcs
Pipe clips	7 pcs	6 pcs	3 pcs
Screws for pipe clips	14 pcs	12 pcs	6 pcs
Connection pieces	12 pcs	5 pcs	4 pcs
Branch pipes 90°	2 pcs	1 рс	1 pc
Low-voltage cable	25 m	15 m	10 m
Ties for low-voltage cable	30 pcs	20 pcs	10 pcs
Complete white sockets with			
mounting plate and short elbow	3 pcs	2 pcs	1 pc
Exhaust valve	1 pc	1 pc	
Silencer for exhaust valve	1 pc	1 pc	
Retrofitting adapter	2 pcs	2 pcs	
ABS adhesive 118 ml	1 pc	1 pc	

Optional extras:

- Longer/shorter hose
- Cupboard installation kit

Fig. 8


- Additional silencers
- Floor outlet
- Brass socket

ABS Pipes and additional plastic products are produced in ABS plastic. Sockets and suction inlets are produced in UV stabilized ABS plastic.


Fig. 5 Wall mounting

a)







In the case of wall mounting the vertical pipe can be boxed in or concealed in an existing cupboard. The s



The pipe can also be installed as shown here. In this case the socket is also fitted in the boxing.



The socket can be installed in the floor or wall, whichever is more convenient.




Installation in existing walls

Fig. 7


and floors

Where sockets are to be installed in existing walls and floors, remove the fixing plate beside the mounting plate. Cut the fixing plate off with a hacksaw or score and brake off the flange.



Securing the socket

Pull the mounting plate into the hole and hold in place while the pipe is fed through the wall/floor. The pipe holds the mounting place in place while the socket is secured. NB: Remember to run the low-voltage cable on the outside of the pipe and glue the pipes together.



To retrofit a socket without using a mounting plate, use an adapter type 02476 directly on the socket stub. The adapter will then fit straight onto a pipe. Do not glue the socket to the adapter. This solution can be used in floors or where the wall boards are too thick for the mounting plate to be used.



post@flexit.no www.flexit.com